



BALCONY & TERRACE

SLIM BOX AWNINGS IN AN ELEGANT DESIGN

Outdoor Blinds and Awnings Australia

Phone: +61 2 8068 9293


sales@obaau.com.au

www.obaau.com.au







CLEO FOLDING ARM AWNING



Completely sealed when in closed position

- Sealed box protects from the elements
- Various mounting options to the wall, below the ceiling or to the frames
- Simple and proven installation system for hanging
- Awning incline adjustable to 35 ° depending on installation
- Optional cover profile for fittings
- Optional wall joint profile prevents rain water entering between façade and awning
- Electronic units mounted in the box

Slim design. Open position


-  min. 200cm
max. 700cm
-  min. 150 cm
max. 400 cm



The wind resistance class can vary depending on version and dimension.



Technical Information (mm)



Fitting to the **roof trusses**

Fitting to the wall **wall brackets**

Fitting to the ceiling **ceiling consoles***

COLORS

Discover the diverse options when selecting frame colours.

FABRICS

Choose from a comprehensive range of materials and colours.

ELECTRICS

More convenience thanks to the automated control and lighting systems.




CLEO FOLDING ARM AWNING

FABRICS


OBA Australia's fabric range comes in a large variety of classic and contemporary colours to suit any building or façade. These fabrics are designed to take the toughest of conditions and boast one of the strongest tear strengths on the market. All of the fabrics used by OBA Australia are European made and specifically designed to be used for all external blinds and awnings including zip systems. All of the fabrics are different and some has more advantages than the another, some of them are anti-static for easy cleaning, anti-fungal and fire retardant, providing years of safe low maintenance use. Please consult with our representative for the best solution.



Acrylic



Polyester



PVC



Mesh/Screen

POWDER COATING FINISHES

To achieve the best quality, we choose to use one of the most respectful and reliable powder coating companies in our state.

The aluminium used in our products is given preventative treatment to seal the coating on its surface after it has been cleaned. This effectively slows down the aggressive effects of weathering and salty spray.

Powder coating further increases the protection given to the aluminium, against corrosion and weathering.

Its mechanical features are also highly sophisticated.



CONTROLS / OPERATION

There are a range of options to control our outdoor shading products, from conventional manual controls, with a simple crank gear or spring solution, to our premium motorised systems





**MODERN DESIGN FOR
SOPHISTICATED ARCHITECTURE**

Outdoor Blinds and Awnings Australia

Phone: +61 2 8068 9293

sales@obaau.com.au

www.obaau.com.au

