





#### **WINDOW & FACADE**

DROP-ARM AWNING WITH FREELY-SELECTABLE PROJECTION ANGLE FROM 0 ° TO 160 °



## METRO PIVOT ARM AWNING







#### Slim, powder coated roller brackets

Spring loaded arms and Extruded alluminium base bar

- Drop angle up to 90 ° or 160 °
- Attractively shaped awning for wall and ceiling mounting
- Drop arm suitable for soffit and facade mounting
- Variable sun protection without the feeling of being separated
- Creates a pleasantly warm atmosphere through the combination of sunlight and material colours
- Manual operation from inside of the room using wall breakthrough and gear unit
- Manual operation from outside using crank handle and gear box mechanism
- Motorized operation with remote control or wall switch
- · Coupling options for max. 2 units
- Choice of adding protective hooding for better product care



min. 60cm max. 550cm




min. 50 cm max. 300 cm







#### Technical Information (mm)





#### **COLORS**

Discover the diverse options when selecting frame colours.



#### **FABRICS**

Choose from a comprehensive range of materials and colours.



### **ELECTRICS**

More convenience thanks to the automated control and lighting systems.



Phone: +61 2 8068 9293 sales@obaau.com.au











# MODERN DESIGN FOR SOPHISTICATED ARCHITECTURE

**Outdoor Blinds and Awnings Australia** 

Phone: +61 2 8068 9293 sales@obaau.com.au

