

ScreenTex Wire

Outdoor Blinds



Terms & Conditions Apply

Utilising the latest cutting edge engineering technology Outdoor Blinds & Awnings Australia developed a new outdoor blinds system that is minimal and elegant yet robust and strong.

ScreenTex Wire Guide Outdoor Blinds System equipped with wire guides along the edges of each blind. This allows the fabric of the blind to be lowered at the desired height at any time on stainless steel side cables of 3.2mm.

Stable, silent, simple and modern, ScreenTex Wire Guide Outdoor Blinds system represents the ideal solution for installations in windows and terraces.

System Specifications

System	ScreenTex Wire Outdoor Blinds
Minimum width	6000mm (Note: not all fabrics are available to max width)
Maximum drop	5000mm
Maximum area	16sqm
Linkable	Yes
Headbox	Yes
Fabric deductions	43mm per side
Standard operation	Motor (gear unit and hand crank possible)
Fabric colours	Over 200 fabric colours
Standard frame colours	Over 120 Dulux and custom powdercoat colours
Premium frame colours	Over 50 Dulux Duractec and Electro commercial colours


Technical Information

Headbox	Two part extruded aluminium headbox 130x148mm
End plates	Weighted extruded aluminium with guide cable connection lug
Roller Tube	78 / 85 mm roller tube
Guide cables	316 grade stainless steel guide cables and fittings
Installation Options	Reveal or face fix installation variation




Contact

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: www.obaau.com.au
Facebook: OutdoorBlindsAndAwningsAustralia
Instagram: OutdoorBlindsandAwnings_
LinkedIn: Outdoor Blinds And Awnings Australia




ScreenTex Wire Outdoor Blinds Up


Front view



Top view



Side view




The wind resistance class can vary depending on version and dimension.

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au

Facebook: OutdoorBlindsAndAwningsAustralia
Instagram: OutdoorBlindsandAwnings_
LinkedIn: Outdoor Blinds And Awnings Australia

ScreenTex Wire
Outdoor Blinds
Down

Front view




The wind resistance class can vary depending on version and dimension.

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au


Facebook: OutdoorBlindsAndAwningsAustralia
Instagram: OutdoorBlindsandAwnings_
LinkedIn: Outdoor Blinds And Awnings Australia

System Details


Head box




Head box extended bar



Head box open cover



Base bar



Cable Guide Fixing

Wall bracket




Bottom fix plate




Cable Side Details


Wall bracket



Wall bracket



Bottom fix plate




The wind resistance class can vary depending on version and dimension.

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au


Facebook: OutdoorBlindsAndAwningsAustralia
Instagram: OutdoorBlindsandAwnings_
LinkedIn: Outdoor Blinds And Awnings Australia

Cable fixing details


Front view



Top view



Side view



The wind resistance class can vary depending on version and dimension.


Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au

Facebook: [OutdoorBlindsAndAwningsAustralia](https://www.facebook.com/OutdoorBlindsAndAwningsAustralia)
Instagram: [OutdoorBlindsAndAwnings_](https://www.instagram.com/OutdoorBlindsAndAwnings_)
LinkedIn: [Outdoor Blinds And Awnings Australia](https://www.linkedin.com/company/OutdoorBlindsAndAwningsAustralia)

Cable Fixing Options

Front view - side by side & linked


////////////////////




Top view - side by side & linked

////////////////////

Wall brackets



Bottom fix plate




The wind resistance class can vary depending on version and dimension.

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au


Facebook: OutdoorBlindsAndAwningsAustralia
Instagram: OutdoorBlindsandAwnings_
LinkedIn: Outdoor Blinds And Awnings Australia

Power Cable Exit Options

Power exit (left)



Power exit (right)



The wind resistance class can vary depending on version and dimension.

Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au

Facebook: [OutdoorBlindsAndAwningsAustralia](https://www.facebook.com/OutdoorBlindsAndAwningsAustralia)
Instagram: [OutdoorBlindsandAwnings_](https://www.instagram.com/OutdoorBlindsandAwnings_)
LinkedIn: [Outdoor Blinds And Awnings Australia](https://www.linkedin.com/company/OutdoorBlindsAndAwningsAustralia)