







HEATSTRIP AUSTRALIA WORLD CLASS PRODUCTS & QUALITY

HEATSTRIP, a division of Thermofilm Australia Pty Ltd, has been manufacturing innovative, stylish, and energy-efficient products for more than 30 years. The full range of HEATSTRIP products is available to residential and commercial markets both in Australia and around the world. Their award-winning outdoor heating solutions are used in some of Australia's most renowned venues and residential homes. HEATSTRIP products are designed to provide maximum comfort and energy efficiency in all types of outdoor settings.

In 2014 Thermofilm was inducted into the Victorian Manufacturing Hall of Fame.

In 2017 HEATSTRIP Portable LPG heater TGH34PL won a Good Design Award in Consumer Products.

In 2018 CROSSRAY BBQ was also recognised with a Good Design Award in Australia.











HEATSTRIP CLASSIC

SLIMLINE ELECTRIC






Classic slimline electric, heating solution for your balcony, patio, undercover, protected alfresco area, or verandah. Also suitable for indoor use.

- Indoor/outdoor electric radiant heater.
- 3 models available THH1800A (1800W), THH2400A (2400W) & THH3200A (3200W).
- Convenient DIY installation for the 1800W and 2400W models. 3200W model must be hard-wired.
- Standard mounting bracket included can be used for wall or ceiling mounting. Bracket can also be used to suspend the heater using chains or wires.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



Corrosion protected for even the toughest environments.



Stylish, sleek, unobtrusive design with unique HEATSTRIP front profile and coating technology.

Optional Controllers


HARDWIRED (TT-MTM)
Wall mounted
controller &
remote control.



DIY (TT-MTR-PLUG) Timer switch remote control of plug-in heaters. Max 10amps.



Model	Running Costs**	Power	Current	Dimensions	Weight	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THH1800A	45c / hr	1800 Watts	7.5 amps	1104x165x48mm	6 kg	1000 mm	Yes	3-4 m ²	ZBRAK-113S	THHAC-010	THHAC-005 (300mm)
THH2400A	60c / hr	2400 Watts	10 amps	1364x165x48mm	7 kg	1000 mm	Yes	4-5 m ²	ZBRAK-113S	THHAC-011	THHAC-006 (600mm) THHAC-007 (900mm)
THH3200A*	80c / hr	3200 Watts	13.3 amps	1774x165x48mm	9 kg	1000 mm	No	5-6 m ²	ZBRAK-113S	THHAC-012	THHAC-008 (1200mm)



App and remote controlled sleek, all-black electric heating solution for your undercover, protected alfresco area, balcony, patio or verandah. Also suitable for indoor use.

- Indoor/outdoor electric radiant heater.
- 2 models available THH2400AA (2400W) & THH3200AA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY Installation for the 2400W model. 3200W model must be hard-wired.
- Standard mounting bracket can be used for wall or ceiling mounting. Bracket can also be used to suspend the heater using chains or wires
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



App and remote control provides 3 heat levels with adjustable timer options from 0-24 hours with the touch of a button.



Optional mounting accessories available, including flush mount kits and extension poles


HEATSTRIP[®] CLASSIC

WITH REMOTE & APP



Model	Running Costs**	Power	Current	Dimensions	Weight	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THH2400AA	60c / hr	2400 Watts	10 amps	1371x165x48mm	7 kg	1000 mm	Yes	4-5 m ²	ZBRAK-113B	THHAC-013	THYAC-047 (300mm) THYAC-048 (600mm)
THH3200AA*	80c / hr	3200 Watts	13.3 amps	1780x165x48mm	9 kg	1000 mm	No	5-6 m ²	ZBRAK-113B	THHAC-014	THYAC-049 (900mm) THYAC-050 (1200mm)

HEATSTRIP° ELEGANCE





Slimline, off-white electric radiant heater for your balcony, patio, undercover, protected alfresco area, or verandah. Also suitable for indoor use.

- Indoor / protected outdoor electric radiant heater.
- 3 models available, THE1800 (1800W) & THE2400 (2400W) are Plug-in DIY, the THE3600 (3600W) must be hard-wired.
- Included bracket can be used for wall & ceiling mounting, can also be suspended using chains or wires.
- Remote control optional accessory.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.

Optional Controllers


HARDWIRED (TT-MTM)
Wall mounted
controller &
remote control.



DIY (TT-MTR-PLUG) Timer switch remote control of plug-in heaters. Max 10amps.









Suitable for both direct mounting & suspending.

Model	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THE1800	45c / hr	1800 Watts	7.5 amps	974x170x48.5	4 kg	1000 mm	Yes	3-4 m ²		THEAC-040	THEAC-043 (300mm)
THE2400	60c / hr	2400 Watts	10 amps	1204x170x48.5	7 kg	1000 mm	Yes	4-5 m ²	ZBRAK-113W	THEAC-041	THEAC-044 (600mm) THEAC-045 (900mm)
THE3600*	90c / hr	3600 Watts	15 amps	1804x170x48.5	9 kg	1000 mm	No	5-6 m²		THEAC-042	THEAC-046(1200mm)



App and remote controlled sleek, off-white electric heating solution for your undercover, protected alfresco area, balcony, patio or verandah. Also suitable for indoor use.

- Indoor/outdoor electric radiant heater.
- 2 models available: THE2400RA (2400W) & THE3200RA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY installation for the 2400W model. 3200W model must be hard-wired.
- Standard mounting bracket included can be used for wall or ceiling mounted. Bracket can also be used to suspend the heater using chains or wires.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



Remote or app for convenient control.




Control Panel with On/ Off functionality, High/Low temperature settings, 1/2/4 hour timer.





Model	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THE2400RA	60c / hr	2400 Watts	10 amps	1306x170x42.7mm	7 kg	1000 mm	Yes	4-5 m ²	ZBRAK-113W	THERAC-056	THEAC-043 (300mm) THEAC-044 (600mm)
THE3200RA*	80c / hr	3200 Watts	13.3 amps	1710x170x42.7mm	9 kg	1000 mm	No	5-6 m²	ZBRAK-113W	THERAC-057	THEAC-045 (900mm) THEAC-046(1200mm)



This sleek, slimline heater with a smooth German Schott glass front is the perfect all-black electric heating solution for instant performance. Easily control the heater with the included remote and app, with a timer ranging from 0-24 hours and 3 different heating levels. Whether you need localized or direct spot heating indoors or outdoors, this heater is sure to meet your needs.

- Indoor/outdoor electric radiant heater.
- 2 models available THG2400BA (2400W) & THG3200BA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Remote control provides 3 heat levels with adjustable timer options from 0-24 hours with the touch of a button.
- Convenient DIY Installation for the 2400W model. 3200W model must be hard-wired and installed by a licensed electrician.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



Designed for minimal light emissions and even, directional heat distribution.



Suitable for wall & ceiling mounting or suspension via chains or wires.

HEATSTRIP ENHANCE


WITH REMOTE & APP



Model	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit
THG2400BA	60c / hr	2400 Watts	10 amps	920x187x76mm	8 kg	1000 mm	Yes	6-8 m ²	ZBRAK-156	THGAC-001
THG3200BA*	80c / hr	3200 Watts	13.3 amps	1020x187x76mm	10 kg	1000 mm	No	8-12 m ²	ZBRAK-156	THGAC-002

Mounting accessories for Classic & Elegance Models

Standard mounting bracket can be used for wall, ceiling mounting. Bracket can also be used to suspend the heater using chains or wires.





Available in silver, white, black (Matching coloured brackets are included with the heater).



Flush Mount Kits are available for each model. Available in silver, white or black trim.



Extension poles available in 4 size (300/600/900/1200mm) in silver, white or black.

Mounting accessories for Intense & Max Models

Standard mounting bracket can be used for wall, ceiling mounting. Bracket can also be used to suspend the heater using chains or wires.





Available in black or silver (Matching coloured brackets are included with the heater).



Flush Mount Kits are available for each model. Available in black or silver trim.



Extension poles available in 4 size (300/600/900/1200mm) in silver, white or black.





Outdoor Blinds and Awnings Australia Phone: 02 8068 9293 Email: Sales@obaau.com.au

Website: www.obaau.com.au