




SCREENTEX ZIP OUTDOOR BLINDS

Create an outdoor room that is completely enclosed from wind, rain, UV light, glare and insects. Unique, slim design of side tracks and streamlined minimalist head box create a beautiful profile that would suit any building. Innovative spring activated system ensures fabric is stretched in a constant and homogeneous way in every stop position on all 4 sides, keeping it flat all year around and providing extra strength and stability during windy conditions. *ScreenTex Zip* is considered the strongest outdoor blinds system on the market, designed to close and shield any outdoor spaces.

SYSTEM SPECIFICATIONS

System	ScreenTex Zip Outdoor Blinds
Minimum width	800mm
Maximum width	6000mm (Note: not all fabrics are available to max width)
Maximum drop	4000mm
Maximum area	18sqm
Headbox	Yes
Standard operation	Motor Gear unit and hand crank possible
Fabric colours	Over 200 fabric colours
Premium frame colours	Over 50 Dulux Duractec and Electro commercial colours
Standard frame colours	Over 120 Dulux and custom powdercoat colours




TECHNICAL INFORMATION

Headbox	Two part extruded aluminium headbox 130x148mm
End plate	With extruded aluminium zip channel connection sleeve
Roller Tube	78 /85 mm roller tube with zip reducers
Zip channels	Two part extruded guide channels 42x47mm
Installation Options	Reveal or face fix installation variation


FRONT VIEW BLIND UP




TOP VIEW




SIDE VIEW



FRONT VIEW BLIND DOWN




SIDE VIEW




SYSTEM DETAILS


HEAD BOX



HEAD BOX EXTENDED BAR




HEAD BOX OPEN COVER




ZIP CHANNEL & BASE RAIL



BASE BAR




DOUBLE BASE BAR




ZIP CHANNEL




ZIP CHANNEL FACE FIX



ZIP CHANNEL SIDE FIX



POWER EXIT (LEFT)



POWER EXIT (RIGHT)

