



ALBATROSS & ALBATROSS MAX

CONSERVATORY AWNING SYSTEM

Premium shading solutions are purpose-built for **skylights, glass roofs, and pergolas**—bringing effortless comfort, style, and temperature control to your home. Mounted above fixed structures, the Albatross and Albatross Max provide generous sun protection and climate regulation at the touch of a button. Designed to **shield glass surfaces** while allowing optimal light filtration, these motorised systems help maintain a pleasant indoor environment all year round. With sleek design, advanced engineering, and whisper-quiet operation, the Albatross range offers the perfect balance of beauty and functionality for your conservatory or outdoor living space.

ALBATROSS & ALBATROSS MAX


OPTIONS AND FEATURES

Climate control all year around

 **CONSTRUCTION**
Self-supporting box and frame made from Extruded Aluminium


 **FABRIC PROTECTION**
Full Cassette.


 **INSTALLATION**
Wall, Reveal, Soffit fixing via the guide rails is possible


 **ENERGY SAVING**
Manufactured with the state-of-the-art fabrics from leading providers such as Serge Ferrari and Dickson. The fabrics are able to reduce glare and heat by up to 70% which in turn eliminates the greenhouse effect, keeps your interiors feeling fresh and, depending on the colour of the fabric, block 90% to 100% of UV rays.

 **CUSTOM MADE**
Choice of premium Dulux and Interpon powder-coating colours for the frame as well as over 200 variations of premium quality of 100% solution dyed acrylic and mesh fabrics.

 **SYDNEY MANUFACTURED**
Locally made to ensure quality every step of the way

 **AUTOMATION OPTIONS**
Available automation options include hardwire to a wall switch panel or a remote control; wide range of Automation sensors such as wind or wind/sun sensors, motion sensors and rain sensors that easily integrate with existing or new Smart Home Automation Systems for convenient voice control commands.



 **SYSTEM SIZE**
Min. 2m - Max. 6m width
Min. 0.5m - Max. 6m projection

 **PITCH POSITION**
0° - 35°

 **ROLLER TUBE**
78mm - 85mm

 **ROLLER GUIDES**
To reduce fabric wear/abrasion.


 **FIXING BRACKETS**
Different types allow easy and flexible installation.

 **AIR CUSHION**
100mm air cushion between fabric and adjacent structure.



 **COMFORT, AESTHETICS & EASE OF USE**
Compact dimensions for minimal obstruction and a modern, streamlined appearance.

TECHNICAL DRAWING



CONSERVATORY AWNINGS MODELS

ALBATROSS



The *Albatross* Conservatory Awning system is constructed to secure the fabric on **the top roller and front rail only**. While the sides of the fabrics still run via track channels with roller guides, the awnings can not be used during heavy rains and strong winds.

ALBATROSS MAX



The *Albatross Max* combines elegant design with advanced tension technology, **securing the fabric on all sides** for a sleek architectural finish. By eliminating gaps between the fabric and guide rails, the system delivers exceptional shade coverage while assisting with water runoff during light rain conditions. For optimal rain performance, the *Albatross Max* must be installed at a minimum **15° slope**.



Outdoor Blinds and Awnings Australia
Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au
Facebook: OutdoorBlindsAndAwningsAustralia



The wind resistance class can vary depending on version and dimension.



GET A QUOTE



Terms & Conditions Apply

ALBATROSS

Conservatory Awning System



Climate control all year around



Introducing our premium shading solution specifically designed for skylights, glass roofs and pergolas - the **Albatross** and **Albatross Max** Conservatory Awning Systems. Mounted above fixed structures, these shading systems provide ample sun protection and temperature control at the touch of a button.



Outdoor Blinds and Awnings Australia
Phone: 02 8068 9293
Email: sales@obaau.com.au
Website: obaau.com.au
Facebook: OutdoorBlindsAndAwningsAustralia



The wind resistance class can vary depending on version and dimension.



Terms & Conditions Apply

Albatross

Conservatory Awning

Genius and simple

Motorised shading system specifically designed to shield glass structures, allowing for optimal light filtration while keeping the temperature of your indoor area under control. The **Albatross** and **Albatross Max** awnings are equipped with guiding wheels that run smoothly and quietly through sturdy aluminium tracks. The 100mm air cushion between the awning and the glass structure promotes air circulation, ventilating built up heat between the glass surface and the fabric.

Features



CONSTRUCTION

Powder Coated Extruded Aluminium

FABRICS

Wide Range Of 100% Solution Dyed Acrylic and Mesh

SYSTEM SIZE

Min. 2m - Max. 6m width

Min. 0.5m - Max. 6m projection

ROLLER TUBE

78mm - 85mm

PITCH POSITION

0° - 35°

OPERATION OPTIONS

Motorised

INSTALLATION

Wall, Reveal, Soffit fixing via the guide rails is possible



Options and Features

SELF-SUPPORTING BOX CONSTRUCTION

FABRIC PROTECTION

Full Cassette.

ROLLER GUIDES

To reduce fabric wear/abrasion.

FIXING BRACKETS


Different types allow easy and flexible installation.

COMFORT, AESTHETICS & EASE OF USE

Compact dimensions for minimal obstruction and a modern, streamlined appearance.

AIR CUSHION

100mm air cushion between fabric and adjacent structure.



CUSTOM MADE

Each Albatross and Albatross Max Conservatory Awning is custom made with your choice of premium Delux and Interpon powder-coating colours for the head box and hardware as well as over 200 variations of premium quality fabrics.

ENERGY SAVING

Manufactured with the state-of-the-art fabrics from leading providers such as Serge Ferrari and Dickson. The fabrics are able to reduce glare and heat by up to 70% which in turn eliminates the greenhouse effect, keeps your interiors feeling fresh and, depending on the colour of the fabric, block 90% to 100% of UV rays.

AUTOMATION

Available automation options include hardwire to a **wall switch panel** or a **remote control**; wide range of **Automation sensors** such as wind or wind/sun sensors, motion sensors and rain sensors that easily integrate with existing or new **Smart Home Automation Systems** for convenient voice control commands.



ALBATROSS

The Albatross Conservatory Awning system is constructed to secure the fabric on the top roller and front rail only. While the sides of the fabrics still run via track channels with roller guides, the awnings can not be used during heavy rains and strong winds.



ALBATROSS MAX

The Albatross Max was made to withstand all weather conditions by using an innovative tension system to secure the fabric on all sides. This eliminates any gaps between the fabric and guide rail, optimising shade coverage and preventing rain from pooling on the awning. For complete all-weather protection, the Albatross Max requires installation at a minimum 15° slope.



